) OMMR Use Cases

Generated on 11/25/2009 10:25 AM

Law Enforcement Inquiry Summary	/	2

UC-23-4 Law Enforcement Inquiry Summary

P1

A law enforcement officer calls OMMP to inquire about the protected status of a registrant, primary caregiver, grower, or grow site. OMMP staff provides an answer and enters the inquiry into the OMMR system.

Details

Parent: Law Enforcement

Primary Actors: AS1, OMMR system Supporting Actors: law enforcement officer

Preconditions: Success Guarantee: Level: Complexity:

Use Case Status: Implementation Status:

Assigned To: Release:

Flow of Events

Main Success Scenario:

- 1. Law enforcement officer makes a request
- 2. OS1 starts a law enforcement inquiry
 - 2.1. OS1 chooses to start a new law enforcement inquiry
 - 2.2. OMMR system logs transaction and history.
 - 2.3. OMMR system displays a new law enforcement inquiry form. (DGM-Law Enforcement Inquiry Form.ndx)
 - 2.4. OS1 searches for the law enforcement officer by DPSST number
 - 2.5. OMMR system presents a list of matches
 - 2.6. OS1 chooses a match
 - 2.7. OMMR system sets the default field values using the chosen match
- 3. OS1 browses and finds the answer to the request.
 - 3.1. OS1 searches using the request details. (DGM-Law Enforcement Inquiry Form.ndx Search)
 - 3.2. OMMR system presents a list of matches.
- 4. OS1 answers the request.
- 5. OS1 records law enforcement inquiry.
 - 5.1. OS1 enters inquiry data into the law enforcement inquiry form and saves.
 - 5.2. OMMR system stores the law enforcement inquiry data.
 - 5.2.1. OMMR system creates a law enforcement inquiry.
 - 5.2.2. OMMR system associates the inquiry with the law enforcement officer.
 - 5.3. OMMR system presents the law enforcement inquiries list. (DGM-Law Enforcement Inquiries List.ndx)

Extensions

- 2.5.a when OMMR system does not return a matching law enforcement officer
 - 1. OS1 enters the law enforcement officer data into the law enforcement inquiry form
 - 2. return 3.
- 3.1.a when the law enforcement officer provides a registry identification card number
 - 1. OS1 enters the number in the search field
 - 2. OMMR system finds matching registrants, primary caregivers, and growers.
 - 3. return 3.2
- 3.1.b when the law enforcement officer provides a first name, last name and date of birth
 - 1. OS1 enters the first name, last name, and date of birth in the search field
 - 2. OMMR system finds matching registrants, primary caregivers, and growers.
 - 3. return 3.2
- 3.1.c when the law enforcement officer provides an address and city
 - 1. OS1 enters the address and city in the search field.
 - 2. OMMR system finds matching registrants, primary caregivers, growers, and grow sites.
 - 3. return 3.2
- 5.1.a when OS1 enters the law enforcement officer data
 - 1. OMMR system creates a law enforcement officer
 - 2. return 5.2

Diagrams



